

ALL DIMENSIONS ARE IN INCHES
CONFORMS TO ASA B36. 10 STANDARDS

Dimensional Data for Standard and Schedule Pipe

Moorlane Sutton Supply, Inc.
Distributor of Quality Fittings
Valves & Pipe

CARBON STEEL

SIZE	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6	8	8	10	10	10	12	12	14	16	18	20	24	30		
Standard	Outside Dia.	.405	.540	.675	.840	1.050	1.315	1.680	1.900	2.375	2.875	3.500	4.000	4.500	5.563	6.625	8.625	8.625	10.750	10.750	10.750	12.750	12.750	14.000	16.000	18.000	20.000	24.000	30.000	
	Inside Dia.	.269	.364	.493	.622	.824	1.049	1.380	1.610	2.067	2.469	3.068	3.548	4.026	5.047	6.065	8.071	7.981	10.192	10.136	10.020	12.090	12.000	13.250	15.250	17.250	19.250	23.250	29.250	
	Wall Thick. Wt.Per Ft.P.E.	.068 .24	.088 .42	.091 .57	.109 .85	.113 1.13	.133 1.68	.140 2.27	.145 3.65	.154 5.79	.203 7.58	.216 9.11	.226 10.79	.237 14.62	.258 18.97	.280 24.69	.277 28.55	.322 31.20	.322 34.24	.279 40.48	.279 43.77	.307 49.58	.365 54.57	.330 64.57	.375 72.09	.375 82.77	.375 93.45	.375 104.13	.375 125.49	.375 157.53
Extra Heavy	Inside Dia.	.215	.302	.423	.546	.742	.957	1.278	1.500	1.939	2.323	2.900	3.364	3.826	4.813	5.761	7.625							11.750	13.000	15.000	17.000	19.000	23.000	29.000
	Wall Thick.	.095	.119	.126	.147	.154	.179	.191	.200	.218	.276	.300	.318	.337	.375	.432	.500							.500	.500	.500	.500	.500	.500	.500
	Wt.Per Ft.P.E.	.31	.54	.74	1.09	1.47	2.17	3.00	3.63	5.02	7.66	10.25	12.51	14.98	20.78	28.57	43.39							54.74	65.42	72.09	82.77	93.45	104.13	125.49
Double Extra Heavy	Inside Dia.				.252	.434	.599	.896	1.100	1.503	1.771	2.300	2.728	3.152	4.063	4.897	6.875													
	Wall Thick.				.294	.308	.358	.382	.400	.436	.552	.600	.636	.674	.750	.864	.875													
	Wt.Per Ft.P.E.				1.71	2.44	3.66	5.21	6.41	9.03	13.70	18.58	22.85	27.54	38.55	53.16	72.42													
Schedule 10	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 20	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 30	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 40	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 60	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 80	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 100	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 120	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 140	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													
Schedule 160	Inside Dia.																													
	Wall Thick.																													
	Wt.Per Ft.P.E.																													



SOLD BY
MOORLANE SUTTON SUPPLY, INC.
203 S. KLEIN (1200 W. RENO)
OKC, OK 73108 (405) 236-3591



STAINLESS STEEL SCHEDULE PIPE

Schedule	Inside Dia.	Wall Thick.	Wt.Per Ft.P.E.	.710	.920	1.185	1.530	1.770	2.245	2.709	3.334	3.834	4.334	5.345	6.407	8.407	10.482	12.420
Schedule 5 S ** (a)				.065	.065	.065	.065	.065	.065	.083	.083	.083	.083	.109	.109	.109	.134	.165
Schedule 10 S ** (a)				.083	.083	.083	.083	.109	.109	.120	.120	.120	.120	.134	.134	.148	.186	.220
Schedule 40 S **				.147	.147	.147	.147	.179	.179	.203	.203	.203	.203	.237	.237	.258	.330	.365
Schedule 80 S **				.217	.217	.217	.217	.261	.261	.300	.300	.300	.300	.357	.357	.432	.500	.500

▣ This pipe, although not conforming to a regular schedule number, is a standard item with the seamless pipe mill.

MSS, Inc. is not responsible for any printing errors in the data contained herein. Although care was taken for proper representation, verification of all specifications is the sole responsibility of the customer.

22.126
.937
230.91
23.375
.312
79.06